

TION

R3E



Office of the Monroe County Surveyor
Trohn Enright-Randolph

Health Services Building
119 West 7th Street
Bloomington, IN 47404
Phone: (812) 349-2570

Dear User,

The following images were obtained in 2017 by the Office of the Monroe County Surveyor from the State Imaging and Microfilm Laboratory at the Indiana State Archives. The field notes and plats for Brown County are stored on microfilm Reel 5923 at the Indiana State Archives. Each page provided by the State Imaging and Microfilm Laboratory is approximately 18MB. Our office combined the pages by Township & Range and reduced the resulting pdfs. This process may have caused some degradation in quality. We will provide unreduced images of specific pages if required. Please contact us at 812-349-2570 or at SurveyorsOffice@co.monroe.in.us to request a higher quality image of any specific page.

The pdfs are bookmarked with the original page numbers as assigned by the State Imaging and Microfilm Laboratory.

Be prepared to provide the county name, reel number, and the required page numbers when requesting full sized images.

If you would like a DVD of an entire county, please provide us with one DVD per county along with a self-addressed, stamped envelope.

Trohn Enright-Randolph
Monroe County Surveyor

East Between Secs 8 & 11 on Brandon
 10.00 Temporary gr. Sec. post
 14.25 A. Brook 6 lks S 20 E
 80.40 Intersected East Boundary 82 lks North of Sec. Corner
 Sand hills near W. D. Chas. Oak, Mich. Aug. 1890
 West corrected (Aug 5th 1820)
 40.20 gr. Sec. corner W. Oak 15 S 4 N 36
 do 12 S 29 E 38
 80.40 Section corner
 West Between Secs 7 & 8
 25.00 A. Brook 25 lks S 15 W
 28.50 A. Brook 12 in. diam.
 37.00 A. Brook 6 lks S 20 E
 40.00 gr. Sec. corner W. Oak 10 S 35 N 25
 do 14 S 23 E 8
 47.50 A. D. Oak 24 in. diam.
 51.00 A. Brook 7 lks S 8 W
 51.00 Intersected West boundary
 W. Oak 11 S 39 E 26
 do 7 S 51 N 30
 Sand hills near W. D. Chas. Oak, Mich. Aug. 1890
 North Between Secs 7 & 8
 20.30 A. W. Oak 16 in. diam.
 40.00 gr. Sec. corner W. Oak 13 S 40 E 14
 do 14 S 22 N 24
 46.50 A. W. Oak 12 in. diam.
 72.00 A. Brook 6 lks S 45 W
 80.00 Set post corner to Secs 5, 6, 7, 8
 W. Oak 18 S 78 E 31
 Sugar 10 S 78 N 29
 Sand & timber same
 East Between Secs 5 & 8 on Brandon
 4.10 A. Brook 6 lks S 10 W
 40.00 Temporary gr. Sec. post
 79.40 A. Brook 6 lks S 5 E

80.10 Intersected East Boundary at Sec. corner
 Sand hills near W. D. Chas. Oak, Mich. Aug. 1890
 West corrected
 40.08 gr. Sec. corner W. Oak 14 S 19 E 24
 do 12 S 10 N 17
 80.10 Sec. corner
 West Between Secs 6 & 7
 18.50 A. W. Oak 18 in. diam.
 33.50 A. Brook 8 lks S 20 E
 40.00 gr. Sec. corner W. Oak 13 S 35 N 38
 B. Oak 24 S 36 E 39
 63.00 A. Chas. Oak 24 in. diam.
 78.50 Intersected West boundary
 W. Oak 10 S 77 E 26
 do 6 S 42 N 19
 Sand same very little thickly
 North Between Secs 5 & 6
 22.50 A. W. Oak 12 in. diam.
 30.00 gr. Sec. corner W. Oak 12 S 63 E 60
 B. Oak 15 S 28 E 7
 42.10 A. Chas. Oak 12 in. diam.
 66.20 Intersected North boundary 406 lks East
 of post corner to Secs 31 & 32 in the adjacent
 Township - Chas. Oak 17 S 78 N 56
 Brook 14 S 54 E 50
 Sand hills near W. D. Chas. Oak, Mich. Aug. 1890
 Degrover & W. Oak
 Surveyed by James H. Hager D. S.

Township N. 10 North, Range N. 3 East 2nd Mer.

Range Line - Var. 6:45'

North Between Ranges 3 & 4 E Township 10 N
 On the East Side of Sec. 36
 4.50 A. Brook 50 lks S 11
 8.68 A. Specimen 24 in. diam.
 40.00 gr. Sec. corner Brook 12 S 5 N 13
 do 6 S 26 E 6
 41.38 A. W. Oak 48 in. diam.
 80.00 Set post corner of Secs 25 & 36
 Brook 7 S 35 E 5
 Degrover 7 S 24 E 10
 Broken land. Timber Oak, Mich. Aug. 1890
 North On the East Side of Sec. 25
 20.00 A. Brook 20 lks S 11
 40.00 gr. Sec. corner Hornbeam 12 S 3 E 14
 do 6 S 64 N 12
 54.50 A. Brook 15 lks S. E
 67.50 Same Brook S. W.
 80.00 Set post corner to Secs 24 & 25
 B. Oak 18 S 10 E 30
 Mich. 10 S 55 N 15
 Broken land. Timber Oak, Mich. Aug. 1890
 North On the East Side of Sec. 24
 28.80 A. D. Gum 20 in. diam.
 40.00 gr. Sec. corner Ironwood 10 S 41 N 4
 Sugar 6 S 15 N 15
 68.50 A. Brook 14 in. diam.
 80.00 Set post corner of Secs 13 & 24
 Poplar 14 S 40 E 4
 do 10 S 57 E 5
 Broken land. Oak & Mich. Aug. 1890
 North On the East Side of Sec. 13
 24.22 A. Spanish Oak 36 in. diam.
 40.00 gr. Sec. corner Poplar 40 S 35 E 9
 Degrover 6 S 60 N 12
 40.52 A. Brook 14 in. diam.
 80.00 Set post corner of Secs 12 & 13
 Brook 8 S 23 E 2
 do 10 S 3 N 18
 Broken land. Timber Oak & Mich. Aug. 1890
 North On the East Side of Sec. 12
 40.00 gr. Sec. corner Sugar 12 S 57 N 18
 do 8 S 33 E 24
 57.09 A. Brook 14 in. diam.
 80.00 Set post corner of Secs 1 & 12
 Maple 14 S 7 E 19
 do 10 S 7 N 18
 Broken land. Timber Oak, Brook & Mich. Aug. 1890
 North On the East Side of Sec. 1
 29.50 A. Brook 14 in. diam.
 40.00 gr. Sec. corner Gum 30 S 24 E 7
 do 14 S 55 N 11
 80.54 Set post corner to Towns 10 N 11 S 20 3 & 4 East
 Brook 18 S 61 N 7
 Gum 20 S 35 E 11
 Broken land. Oak, Brook & Mich. Aug. 1890
 Surveyed by John W. Kohn D. S. June 21, 1819
 Township Line
 West Between Townships 7 & 10 North Range 3 East
 On the North Side of Sec. 36
 1.25 A. Brook 30 lks South
 8.00 A. Poplar 36 in. diam.
 40.00 gr. Sec. corner W. Oak 12 S 50 E 18
 do 13 S 44 N 31
 68.41 A. W. Oak 24 in. diam.
 80.00 Set post corner of Secs 35 & 36
 W. Oak 10 S 52 N 13
 Mich. 12 S 16 E 12
 Over Mountains. Timber Oak & Mich. Aug. 1890

West On the South Side of Sec. 35
 23.50 A. W. Oak 18 in. diam.
 40.00 gr. Sec. corner Logwood 6 ft 50 E 19
 Oak 14 ft 65 W 5
 54.41 Am. Oak 14 in. diam.
 80.00 Set post corner to Sec. 34 & 35
 Beech 8 ft 64 E 31
 W. Oak 30 ft 5 W 29
 Very Broken land. Timber Oak &
 West On the South Side of Sec. 34
 40.00 gr. Sec. corner W. Oak 12 ft 63 E 5
 do 24 ft 10 E 3
 61.15 A. Hickory 20 in. diam.
 80.00 Set post corner of Sec. 33 & 34
 Spruce 24 ft 53 E 4
 Hornbeam 8 ft 64 E 20
 Broken land. Timber Oak. Beech &
 West Between Towns of Range 3 E on the South Side of
 10.00 Beech 18 ft 10 W
 40.00 Section 33 Gum 13 ft 84 E 22
 Beech 12 ft 25 W 23
 50.59 A. Hickory 30 in. diam.
 80.00 Set post corner to Sec. 32 & 33
 Ash 12 ft 55 E 28
 Hickory 10 ft 40 W 16
 Very Broken land. Timber Oak. Hickory &
 West On the South Side of Sec. 32
 8.62 A. Poplar 30 in. diam.
 40.00 gr. Sec. corner Beech 12 ft 77 W 19
 Gum 16 ft 59 E 12
 80.00 Set post corner of Sec. 31 & 32
 Oak 20 ft 39 E 25
 do 20 ft 44 E 12
 Very Broken land. Timber Oak &

West On the South Side of Sec. 31
 40.00 gr. Sec. corner Gum 6 ft 52 W 14
 W. Oak 12 ft 52 E 19
 43.14 Intersected the Range line between Ranges
 23 & 24 Towns of Sec. 1. 6. 31. 36
 at the corner. Beechland. Timber Oak &
 June 21st 1819
 Surveyed by John W. Donnell, D. S.
 July 6th 1820 Subdivisions of Township 1 N. 12 E. 3 East
 North Between Sec. 35 & 36
 24.50 A. W. Oak 17 in. diam.
 40.00 gr. Sec. corner Oak 11 ft 30 E 30
 June 10th 1823
 45.00 A. Stream 50 ft 50 E
 60.00 A. W. Oak 26 in. diam.
 68.50 A. Beech 12 ft 30 E
 80.00 Set post corner to Sec. 25. 26. 35. 36
 W. Oak 15 ft 62 E 45
 do 14 ft 79 W 29
 Sand hills. Spr. W. Oak. Beech. Hickory. Dogwood. Hornbeam.
 East Between Sec. 25 & 36 on Prandlow
 40.00 Temporary gr. Sec. post
 79.20 Intersected E. boundary 143 ft 10 E. Sec. corner
 Sand & timber similar
 West Corrected
 39.60 gr. Sec. corner W. Oak 13 ft 50 W 19
 Hickory 15 ft 52 E 35
 79.20 Section corner
 North Between Sec. 25 & 26
 12.25 A. W. Oak 30 in. diam.
 40.00 gr. Sec. corner W. Oak 10 ft 54 E 14
 Dogwood 5 ft 50 W 20
 60.00 A. W. Oak 14 in. diam.

50.00 Set post corner to Sec. 23. 24. 25. 26
 Beech 11 ft 52 W 16
 Dogwood 6 ft 48 E 21
 Sand hills. Spr. W. Oak. Beech. Hickory. Dogwood.
 Dogwood & Hornbeam
 East Between Sec. 24 & 25 on Prandlow
 38.50 A. Beech 10 ft 50 South
 40.00 Temporary gr. Sec. post
 79.74 Intersected East boundary at Sec. corner
 Sand & timber as above
 West Corrected
 39.77 gr. Sec. corner W. Oak 24 East 42
 B. Oak 28 ft 37 W 60
 79.74 Section corner
 North Between Sec. 23 & 24
 21.50 A. Gum 12 in. diam.
 40.00 gr. Sec. corner Sugar 13 ft 32 W 25
 W. Oak 14 ft 37 E 20
 65.50 A. Sugar 10 in. diam.
 80.00 Set post corner to Sec. 12. 14. 23. 24
 W. Oak 12 ft 27 W 5
 do 12 ft 54 East
 Sand hills. Spr. W. Oak. Beech. Hickory. Dogwood.
 East Between Sec. 13 & 24 on Prandlow
 40.00 Temporary gr. Sec. post
 42.50 A. Beech 8 ft 50 E
 79.80 Intersected E. boundary 27 ft 10 South of Sec. corner
 Sand & timber same
 West Corrected
 39.90 gr. Sec. corner W. Oak 6 ft 53 E 13
 do 9 ft 21 E 9
 79.80 Section corner
 North Between Sec. 13 & 14 (Survey 1820)
 18.10 A. W. Oak 14 in. diam.

40.00 gr. Sec. corner Beech 5 Corner tree
 W. Oak 4 ft 35 E 12
 49.50 A. Beech 6 ft 5 W
 56.60 A. Hickory 14 in. diam.
 80.00 Set post corner to Sec. 11. 12. 13. 14
 Gum 18 ft 5 W 13
 B. Oak 10 ft 55 E 18
 Hills. Spr. W. Oak. Beech. Hickory. Dogwood.
 East Between Sec. 12 & 13 on Prandlow
 40.00 Temporary gr. Sec. post
 80.30 Intersected E. boundary 54 ft 10 E. Sec. corner
 Sand & timber same
 West Corrected
 40.18 gr. Sec. corner W. Oak 13 ft 37 E 17
 Gum 26 ft 45 W 66
 80.30 Section corner
 North Between Sec. 11 & 12
 18.60 A. Beech 15 in. diam.
 23.00 A. Beech 30 ft 5 W
 40.00 gr. Sec. corner Poplar 18 ft 52 W 26
 Sugar 12 ft 12 E 10
 60.20 A. Sugar 13 in. diam.
 80.00 Set post corner of Sec. 1. 2. 11. 12
 Beech 9 ft 2 E 59
 do 15 ft 1 E 20
 Sand hills. Spr. Poplar. Beech. W. Oak. Dogwood.
 East Between Sec. 12 & 12 on Prandlow
 28.00 A. Beech 20 ft 5 W
 40.00 Temporary gr. Sec. post
 80.00 Intersected E. boundary 47 ft 10 North of Sec. corner
 Sand & timber same with Hickory
 West Corrected
 40.08 gr. Sec. corner W. Oak 13 South 4
 do 6 ft 8 W 28
 80.00 Section corner

North Between Sec^s 1 & 2
 30.30 A. Hickory 7 in. diam.
 40.00 gr. Sec. corner Beech 10 S 53 N 7
 Hickory 6 S 44 E 26
 52.00 A. Beech 26 in. diam.
 80.75 Intersected N. boundary 11 1/2 m. West of Post corner
 Sugar 6 S 52 E 28
 do 8 S 55 N 72
 Union 2nd entry land. W. Oak, Sugar, Beech 10 S 53 N 7
 North Between Sec^s 3 & 4 (Jan 7 5th 1820)
 11.85 A. Sugar 7 in. diam.
 40.00 gr. Sec. corner W. Oak 30 S 58 N 9
 Beech 8 S 87 E 14
 61.50 A. Beech 14 in. diam.
 72.00 A. Beech 6 lks S 15 E
 80.00 Set post corner to Sec^s 26, 27, 34, 35
 W. Oak 12 S 10 E 17
 Hickory 10 S 8 N 20
 Land & timber same
 East Between Sec^s 26 & 35 On Dandow
 1.30 A. Beech 6 lks S 15 E
 14.50 A. Beech 10 lks S 16 E
 40.00 Temporary gr. Sec. post
 44.50 A. Spruce 40 lks S 50 E
 69.50 A. Beech 6 lks S 40 E
 80.75 Intersected E. boundary 12 lks South of Sec. corner
 Billy 4 floor. W. Oak & Hickory 10 S 53 N 7
 West corrected
 40.37 gr. Sec. corner Beech 14 S 34 N 38
 Hickory 10 S 4 E 31
 80.75 Section corner
 North Between Sec^s 26 & 27
 57.50 A. Beech 10 lks S 10 E
 17.00 A. Hickory 13 in. diam.
 40.00 gr. Sec. corner Beech 24 S 7 N 50
 Hickory 15 S 11 E 35
 55.60 A. O. Oak 40 in. diam.
 80.00 Set post corner of Sec^s 22, 23, 26, 27
 Beech 10 S 13 E 6
 do 5 S 9 N 28
 Union 2nd entry land. W. Oak, Sugar, Beech 10 S 53 N 7
 East Between Sec^s 23 & 26 On Dandow
 40.00 Temporary gr. Sec. post
 41.50 A. Spruce 40 lks S 30 E
 80.20 Intersected E. boundary 18 lks S. of Sec. corner
 Land same, W. Oak, Sugar, Beech 10 S 53 N 7
 West corrected
 40.10 gr. Sec. corner Sugar 12 S 21 E 22
 W. Walnut 6 S 55 E 7
 80.20 Section corner
 North Between Sec^s 22 & 23
 17.20 A. O. Oak 24 in. diam.
 40.00 gr. Sec. corner Beech 10 S 56 E 35
 do 14 S 53 N 18
 66.70 A. W. Oak 12 in. diam.
 80.00 Set post corner to Sec^s 14, 15, 22, 23
 Beech 6 S 16 N 18
 White Birch 7 S 17 E 13
 Land & timber same
 East Between Sec^s 14 & 23 On Dandow Jan 13th 1820
 10.05 A. Beech 6 lks S 40 W
 40.00 Temporary gr. Sec. post
 55.00 A. Spruce 35 lks S 5 N
 80.60 Intersected E. boundary 24 lks S. of Sec. corner
 Union 2nd entry land, Sugar, Beech, W. Oak
 & Hickory 10 S 53 N 7
 West corrected
 40.30 gr. Sec. corner Beech 6 S 43 N 18
 do 15 S 64 N 7
 80.60 Section corner

North Between Sec^s 14 & 15
 1.50 A. W. Oak 6 lks S 20 E
 22.30 A. W. Oak 20 in. diam.
 40.00 gr. Sec. corner Sugar 12 S 66 E 20
 do 9 S 66 N 14
 58.30 A. Beech 6 lks S 40 E
 62.00 A. W. Oak 16 in. diam.
 80.00 Set post corner to Sec^s 10, 11, 14, 15
 W. Oak 10 S 11 E 26
 June 16 S 75 N 4
 Land Union 2nd entry land. W. Oak, Sugar, Beech 10 S 53 N 7
 East Between Sec^s 11 & 14 On Dandow
 17.50 A. Beech 6 lks S 15 E
 40.00 Temporary gr. Sec. post
 48.00 A. Beech 20 lks S 5 E
 67.00 A. Beech 30 lks South
 80.32 Intersected E. boundary at Sec. corner
 Land & timber same
 West corrected
 40.16 gr. Sec. corner Beech 18 S 26 N 34
 W. Walnut 16 S 73 E 22
 80.32 Section corner
 North Between Sec^s 10 & 11 January 14th 1820
 24.50 A. Hickory 8 in. diam.
 40.00 gr. Sec. corner Beech 18 S 51 N 34
 do 7 S 42 E 21
 45.00 A. Beech 6 lks East
 69.00 A. Beech 20 lks S 30 E
 80.00 Set post corner of Sec^s 2, 3, 10, 11
 Sugar 6 S 26 E 24
 Beech 17 S 23 N 18
 Land Union 2nd entry land. W. Oak, Sugar, Beech 10 S 53 N 7
 East Between Sec^s 2 & 3 On Dandow
 6.00 A. Beech 7 lks S 40 W
 8.50 Same Beech S 55 N
 40.00 Temporary gr. Sec. post
 80.12 Intersected E. boundary 15 lks S. of Sec. corner
 Land & timber same with W. Oak & Spruce

West Corrected Between Sec^s 27 & 34
40.06 gr. Sec. corner Beech 6 ft 14 1/2 E 24
do 12 ft 14 1/2 W 13

80.12 Section corner

North Between Sec^s 27 & 28

4.00 A. Beech 7 lbs N 60 W

10.30 A. Beech 14 in. diam.

40.00 gr. Sec. corner Sugar 9 S 53 E 34
do 12 ft 58 W 6

50.70 A. M. Oak 30 in. diam.

60.00 A. Beech 6 lbs N 70 W

80.00 Set post corner to Sec^s 21, 22, 27, 28

Beech 8 corner trees

M. Oak 11 S 55 W 28

Land Unknown 2nd rate. M. Oak, Beech, Sugar, Poplar, Dogwood

East Between Sec^s 22 & 27 On Randome

30.20 A. Beech 6 lbs S 50 W

40.00 Temporary gr. Sec. post

80.00 Intersected E. Boundary 10 lbs South of Sec. corner

Land Same. M. Oak, Beech, Sugar, Dogwood, Spruce

West Corrected

40.00 gr. Sec. corner Hickory 7 S 71 W 23
do 16 ft 64 E 21

80.00 Section corner

North Between Sec^s 21 & 22

29.00 A. Hickory 18 in. diam.

40.00 gr. Sec. corner Beech 13 ft 52 E 24

Spruce 18 S 38 W 23

68.18 A. Beech 7 in. diam.

80.00 Set post corner to Sec^s 15, 16, 21, 22

Beech 7 ft 67 W 29

do 7 ft 89 E 23

Land & Timber Same

East Between Sec^s 15 & 22 On Randome

40.00 Temporary gr. Sec. post

80.00 Intersected E. Boundary 73 lbs S. of Sec. corner

Unknown 2nd rate. Poplar, Beech, M. Oak, Sugar, Spruce

West Corrected

40.00 gr. Sec. corner Beech 6 ft 22 E 18

do 6 ft 22 W 2

80.00 Section corner

North Between Sec^s 15 & 16 January 17th 1820

22.10 A. Beech 12 in. diam.

40.00 gr. Sec. corner Sugar 13 S 29 W 17

Beech 5 ft 24 E 25

42.25 A. Beech 8 lbs S 30 W

49.15 A. Spruce 16 in. diam.

80.00 Set post corner to Sec^s 7, 10, 15, 16

Sugar 6 ft 73 E 20

Beech 12 ft 61 W 7

Land & Timber Same

East Between Sec^s 10 & 15 On Randome

40.00 Temporary gr. Sec. post

80.72 Intersected E. Boundary 33 lbs S. of Sec. corner

Unknown 2nd rate. M. Oak, Poplar, Sugar, Beech, Dogwood

West Corrected

46.36 gr. Sec. corner Beech 12 ft 56 E 30

Sugar 7 ft 86 W 70

80.72 Section corner

North Between Sec^s 9 & 10 January 22nd 1820

21.25 A. Beech 11 in. diam.

38.00 A. Beech 6 lbs S 10 W

40.00 gr. Sec. corner Beech 20 ft 12 E 47

Spruce 24 ft 33 W 29

67.60 A. Maple 16 in. diam.

80.00 Set post corner to Sec^s 3, 4, 9, 10

Beech 14 ft 28 E 4

Poplar 18 ft 32 W 17

Land the Same

East Between Sec^s 3 & 10 On Randome

40.00 Temporary gr. Sec. post

80.70 Intersected E. Boundary 40 lbs S. of corner

Land Unknown 2nd rate. Poplar, Beech, Sugar, Dogwood

Longth Dogwood & Spruce

West Corrected

40.10 gr. Sec. corner Poplar 22 S 58 E 58

Beech 11 ft 47 W 58

80.20 Section corner

North Between Sec^s 3 & 4

19.00 A. Beech 20 in. diam.

40.00 gr. Sec. corner Sugar 12 S 35 W 33

Beech 18 ft 86 E 20

61.70 A. Beech 8 in. diam.

81.50 Intersected N. Boundary 200 lbs W. of post corner

Beech 24 ft 10 E 38

Poplar 24 S 29 W 31

Land Same. Poplar, Beech, Sugar, Dogwood, Spruce

North Between Sec^s 32 & 33 January 24th 1820

29.00 A. Ches^t Oak 16 in. diam.

40.00 gr. Sec. corner Beech 13 corner trees

W. Walnut 16 ft 14 E 46

58.50 A. Beech 25 lbs West

59.65 A. Elm 12 in. diam.

80.00 Set post corner to Sec^s 28, 29, 32, 33

Sugar 18 ft 64 E 21

Beech 24 ft 16 W 7

Land Muddy & poor. M. Oak, Spruce, Dogwood

East Between Sec^s 28 & 33 On Randome

40.00 Temporary gr. Sec. post

40.10 A. Beech 25 lbs S 50 W

80.00 Intersected E. Boundary 10 lbs S. of Sec. corner

First 1/2 mile level 2nd rate. last 1/2 mile

Poplar, Spruce, Poplar, Oak, Beech

Sugar, Dogwood, Spruce

West Corrected Between Sec^s 28 & 33

40.00 gr. Sec. corner Elm 4 ft 67 E 27

do 6 ft 80 W 58

80.50 Section corner

North Between Sec^s 28 & 29

21.86 A. Beech 24 in. diam.

29.50 A. Beech 6 lbs S 50 W

40.30 gr. Sec. corner Beech 24 ft 30 E 33

do 7 ft 29 W 15

63.20 A. Sugar 19 in. diam.

80.50 Set post corner to Sec^s 20, 21, 28, 29

Beech 7 ft 33 E 23

Spruce 15 ft 77 W 38

Land Unknown 2nd rate. Sugar, Beech, Poplar, Dogwood

East Between Sec^s 21 & 28 On Randome

40.00 Temporary gr. Sec. post

60.00 A. Beech 20 lbs S 10 W

80.00 Intersected East boundary at Section corner

Land & Timber Same

West Corrected

40.00 gr. Sec. corner Ash 4 ft 75 E 21

Beech 8 ft 3 W 22

80.00 Section corner

North Between Sec^s 20 & 21

33.00 A. Ches^t Oak 30 in. diam.

40.00 gr. Sec. corner Beech 14 ft 51 E 34

do 14 ft 54 W 3

46.20 A. Poplar 26 in. diam.

76.00 A. Beech 6 lbs S 60 E

80.00 Set post corner to Sec^s 16, 17, 20 & 21

Beech 15 corner trees

do 7 ft 12 W 19

Unknown 2nd rate. Land. Poplar, Sugar, Beech

Longth Spruce

North Between Sec. 20 & 21

33.00 A. Oak 30 in. diam.

40.00 gr. Sec. corner Beech 14 S 81 E 24
do 18 S 84 W 8

46.20 A. Poplar 26 in. diam.

46.10 A. Beech 6 lbs S 80 E

80.00 Set post corner of Sec. 16, 17, 20, 21

Beech 15 corner tree

do 7 S 12 W 19

Sand & timber same 2nd rate Poplar Sugar Beech Ang. Spice

East Between Sec. 16 & 21 One Handlone

8.10 A. Beech 6 lbs S 80 E

18.10 Sand Beech S 80 E

40.00 gr. Sec. post temporary

50.50 A. Beech 15 lbs South

80.00 Intersected E. boundary 43 lbs South of Sec. corner

Sand & timber same

West corrected

40.00 gr. Sec. corner Poplar 48 S 76 E 9
Beech 13 S 89 W 26

80.00 Section corner

North Between Sec. 16 & 17 January 25th 1820

7.60 A. Beech 6 lbs East

19.60 A. Hickory 15 in. diam.

36.50 A. Beech 6 lbs S 80 E

40.00 gr. Sec. corner Beech 5 S 77 E 20
do 11 South 9

50.70 A. Sugar 18 in. diam.

80.00 Set post corner to Sec. 8, 9, 16, 17
Beech 8 S 22.36 E 25

Sugar 30 S 81 W 22

Sand & timber same

East Between Sec. 9 & 16 One Handlone

40.00 Temporary gr. Sec. post

43.50 A. Beech 10 lbs S 5 E

64.50 A. Beech 8 lbs S 10 W

79.68 Intersected E. boundary 36 lbs N. of Sec. corner
Sand & timber same 2nd rate Poplar Oak Sugar Beech Ang. Spice

West corrected

39.84 gr. Sec. corner Sugar 14 S 10 W
do 4 S 24 E 6

79.68 Section corner

North Between Sec. 8 & 9

23.50 A. Beech 24 in. diam.

40.00 gr. Sec. corner Sugar 11 S 15 E 23
Beech 12 S 83 W 33

52.10 A. Gum 10 in. diam.

80.00 Set post corner to Sec. 4, 5, 8, 9

Beech 12 S 50 E 49

do 24 S 56 W 10

Sand & timber same 2nd rate Poplar Sugar Beech Ang. Spice

East Between Sec. 4 & 9 One Handlone

40.00 Temporary gr. Sec. post

79.70 Intersected E. boundary 52 lbs N. of Sec. corner
Sand & timber same

West corrected

39.95 gr. Sec. corner Beech 14 S 89 E 36
do 5 S 14 W 16

79.90 Section corner

North Between Sec. 4 & 5

26.50 A. Beech 16 in. diam.

31.50 A. Beech 7 lbs S 80 W

40.00 gr. Sec. corner Beech 6 S 38 W 2
do 5 S 27 E 28

56.60 A. Beech 6 in. diam.

83.25 Intersected N. boundary 20 lbs N. of post corner

Poplar 18 S 31 W 15

Sugar 12 S 9 W 6

Sand & timber same

North Between Sec. 31 & 32 January 24th 1820

22.30 A. Oak 13 in. diam.

40.00 gr. Sec. corner Beech 5 S 23 E 27
Hickory 10 S 25.30 W 7

52.50 A. Beech 30 lbs S 70 W

66.65 A. Beech 17 in. diam.

80.00 Set post corner of Sec. 29, 30, 31, 32

Beech 9 S 16 E 36

do 30 S 34 W 24

First = mile high of post last = 2nd rate
N. Oak Beech Sugar Ang. Spice

East Between Sec. 29 & 32 One Handlone

14.00 A. Beech 8 lbs S 30 W

40.00 Temporary gr. Sec. post

44.40 A. Beech 6 lbs S 15 W

73.50 A. Beech 6 lbs South

79.32 Intersected E. boundary 106 lbs N. of Sec. corner
Sugar 2nd rate Sand Beech Sugar Ang. Spice

West corrected

39.66 gr. Sec. corner Sugar 7 S 89 E 53
do 7 S 85 W 35

79.32 Section corner

West Between Sec. 30 & 31

21.50 A. Gum 22 in. diam.

36.50 A. Beech 6 lbs S 5 W

40.00 gr. Sec. corner Beech 8 S 60 E 16
Sugar 2 S 74 W 14

54.50 A. Sugar 18 in. diam.

72.50 Intersected West boundary 32 lbs N. of corner
Beech 10 S 62 E 7

do 7 S 29.30 W 20

Sand & timber same 2nd rate Sugar Beech Ang. Spice

North Between Sec. 29 & 30

20.33 A. Beech 12 in. diam.

40.00 gr. Sec. corner Beech 4 corner tree
do 7 S 38 W 6

50.00 Set post corner to Sec. 19, 20, 29, 30

Sugar 16 S 60 E 5

Beech 11 S 86.30 E 35

Sand & timber same 2nd rate Poplar Sugar Beech Ang. Spice

East Between Sec. 29 & 30 One Handlone

8.60 A. Beech 6 lbs South

40.00 gr. Sec. corner temporary

73.50 A. Beech 8 lbs S 3 W

80.00 Intersected E. boundary 50 lbs N. of Sec. corner
Sand & timber same

West corrected

40.00 gr. Sec. corner Beech 6 S 55 W 16
do 20 S 60 E 10

80.00 Section corner

West Between Sec. 19 & 30

22.00 A. Beech 13 in. diam.

40.00 gr. Sec. corner Beech 6 S 76 E 19
Sugar 13 S 81 W 10

56.90 A. Beech 14 in. diam.

62.00 A. Beech 8 lbs S 45 W

72.50 Intersected N. boundary 80 lbs N. of post corner
Beech 6 S 5 W 8

N. Oak 26 S 19 E 16

Sand & timber same 2nd rate Oak Sugar Hickory Beech Ang. Spice

North Between Sec. 19 & 20

17.56 A. N. Oak 18 in. diam.

40.00 gr. Sec. corner Gum 24 S 83 E 14
Beech 7 S 60 W 13

53.50 A. Beech 26 in. diam.

50.00 Set post corner to Sec. 17, 18, 19, 20

Beech & Hawth 9

do 14 S 72 E 20

Small level 2nd water, W. Oak, Poplar, Sugar & Beech.
Along the Spire

East Between Sec. 17 & 20 On Wanders

40.00 Temporary g^r. Sec. post

50.36 Intersected E. boundary 10 lvs North of Sec. corner

Small Munro 2nd water, Poplar, Sugar, Beech Along the Spire

West Corrected

40.18 g^r. Sec. corner Beech 12 S 77 W 19

do 5 S 62 E 5

50.36 Section corner

West Between Sec. 18 & 19

16.12 H. Beech 28 in. diam.

40.00 g^r. Sec. corner Poplar & St 63 E 11

Beech 5 S 77 W 12

59.20 H. Ches. Oak 18 in. diam.

65.50 H. Beech 25 lvs S 30 W

72.75 Intersected W. boundary 125 lvs N. of post corner

Beech 13 S 60 E 37

Sycamore 40 S 31 W 7

Small & timber same

North Between Sec. 17 & 18

24.20 H. Beech 22 in. diam.

40.00 g^r. Sec. corner Beech 6 S 31 W 13

do 30 North 5

53.70 H. Beech 12 in. diam.

56.00 H. Beech 12 lvs S 60 W

50.00 Set post corner to Sec. 7, 8, 17, 18

W. Oak 30 S 29 W 30

Sugar 12 S 25 E 22

Small Hilby 2nd water, W. Oak, Sugar & Beech

Along the Spire

East Between Sec. 8 & 17 On Wanders

40.00 Temporary g^r. Sec. post

50.42 Intersected E. boundary 50 lvs S. of Sec. corner

Munro 2nd water, Poplar, Beech, Sugar & W. Walnut
Along the Spire

West Corrected (January 29th 1820)

40.21 g^r. Sec. corner Beech & St 71 E 40

do 12 S 57 W 27

50.42 Section corner

West Between Sec. 7 & 18

20.00 H. Beech 20 lvs S 50 W

29.65 H. Sugar 9 in. diam.

35.00 H. Beech 10 lvs S 20 W

40.00 g^r. Sec. corner Beech & St 74 W 14

Sugar 11 S 49 E 22

51.70 H. Poplar 22 in. diam.

72.60 Intersected W. boundary 92 lvs N. of post corner

Beech 13 S 56 E 18

do 13 S 44 W 26

Small & timber same

North Between Sec. 7 & 8

14.40 H. Beech 30 in. diam.

23.00 H. Beech 20 lvs S 45 W

40.00 g^r. Sec. corner Beech 14 S 10 E 34

do 12 S 56 W 34

53.10 H. Poplar 16 in. diam.

50.00 Set post corner to Sec. 5, 6, 7, 8

Beech 22 S 27 E 27

do 6 S 22 W 8

Small & timber same

East Between Sec. 5 & 8 On Wanders

40.00 Temporary g^r. Sec. post

52.00 H. Beech 15 lvs S 10 W

50.28 Intersected E. boundary 43 lvs S. of Sec. corner

Small & timber same

West Between Sec. 5 & 8 Corrected

40.16 g^r. Sec. corner Beech 6 S 54 E 17

do 11 S 53 W 32

50.28 Section corner

North Between Sec. 5 & 8

20.50 H. Sugar 8 in. diam.

40.00 g^r. Sec. corner Beech 14 S 77 E 13

June 26 S 70 W 37

50.55 H. Beech 8 in. diam.

54.50 Intersected North Boundary 242 lvs West of post corner to Sec. 31 & 32 in the adjacent Township

Beech 8 S 58 W 55

do 13 S 50 E 42

Small Munro 2nd water, Poplar, Beech & Sugar

West Between Sec. 6 & 7

17.80 H. Sugar 11 in. diam.

40.00 g^r. Sec. corner Sugar 6 S 16 W 22

do 9 S 25 E 28

54.10 H. Sugar 18 in. diam.

63.00 H. Beech 10 lvs S 20 E

71.55 Intersected West Boundary 96 lvs North of post corner to Sec. 10 & 12 in adjacent Township

Beech 7 S 68 W 14

do 5 S 77 E 22

Small Munro 2nd water, Poplar, Sugar & Beech

Along the Spire -

Surveyed by James Hedges D. S.